



How to Develop Great Mechanical Drawings





Muhammad Sajjad

Solid Edge Application Engineer



Mike Ashbaugh

Solid Edge Electrical Design

Solid Edge Portfolio

SIEMENS
Ingenuity for life

Mechanical
Design




Electrical
Design




Simulation




Manufacturing



Technical
Publications



Data
Management



Cloud-based
Collaboration






Access the Solid Edge Portfolio and Resources




www.siemens.com/solid-edge-educator



All Products are Designed





Impact of Mechanical Design and Drafting


- Cost
- Time
- Risk



Basic Mechanical Design


Drawing Creation

- Create a new draft file
- Select from the standard of your choice



Drawing Creation

- You can create a drawing of the active model you currently have open in Solid Edge
- Applications Button > New > Drawing of Active Model




Drawing View Creation Commands


- View Wizard
 - Steps for creating standard drawing views
- Principal
 - For dragging off views from an existing view
- Auxiliary View
- Detail View
- Cutting Plane
 - Used in conjunction with creating a Section View
- Broken Section
- Modifying Views



Placing Initial Views






- Drawing View Wizard
- Pick an individual view or all of the views you would like to place.



Principal Views






- Click on a view
 - Cursor position dictates which orthographic view is created




Placing Initial Views



- Manipulate views by click and drag
- Orthogonal views **remain aligned**




Section View





- Identify the cutting plane line
 - Options for the section type
- Aligned by default



Detail View




- 3 clicks
 - Select the center for the Detail View
 - Define the diameter
 - Place the view



Dimension Commands

- SmartDimension
 - Distance Between
 - Stacked
 - String
 - Axis
- Angle Between
- Coordinate Dimension
- Angular Coordinate Dimension
- Symmetric Diameter
- Chamfer Dimension
- Retrieve Dimensions






- Retrieve Dimensions
- Line Up Text
- Copy Attributes
- Maintain Alignment Set
- Remove from Alignment Set
- Arrange Dimensions

Annotation Commands


- Centerlines and Center Marks
- Balloons and Callouts
- Surface Texture Symbol
- Weld Symbols
- Feature Control Frames
- Datum Frames and Target
- Annotation Alignment Shape
- Show/Hide Annotation Alignment Shape




Centerline




Center Mark



- By 2 Points for single bolt hole in a circular pattern
- You can define a select set by dragging a fence around holes



Click on an arc or circle -or- Click+Drag for a rectangular fence.



Text and Leaders




- Text Box

NOTE:
Break all sharp edges



- Leaders



- You can place a leader anywhere on the drawing




Feature Callout




Countersink for M5
Flat Head Machine Screw

Countersink for M5
Flat Head Machine Screw


Tables



- Parts List
- Hole Table
- Bend Table
- Family of Parts Table
- Custom Table
- Block Table



Parts List



- The Columns display, titles, and format are controlled in the Parts List options dialog.

General Location Title Columns Data Sorting Groups Options Item Number List Control Balloon

Columns:

- ITEM
- NAME
- MAT'L
- QTY

Column Format

Show column Column width: 43.965 mm

Headers

Show header Position: Header

Fixed header row height: 7.000 mm

Number of rows: 1

Column Header

Text row: 1

ITEM

Merge with next horizontal cell Format Cells...

Merge with next vertical cell

Column Data

Fixed data row height: 7.000 mm

Property text: %ItemNumber[G]


Merge vertical cells with same value Format Cells...

Properties:



- User Defined
- Accessed
- Accuracy (Custom Property)
- Accuracy (Exposed Variable)
- Adjustable Tube
- Attributes
- Author
- Category
- Coefficient of Thermal Expansion
- Comments
- Company
- Created
- Creating Application
- Cut Length
- Density
- Density (Custom Property)
- Density (Exposed Variable)

ITEM	NAME	MAT'L	QTY
1	CRANKCASE	Aluminum, 1060	1
2	BEARING_FRONT	Steel	1
3	BEARING_REAR	Steel	1
4	CRANK SHAFT	Stainless steel	1
5	ROD	Steel	1
6	WRIST PIN	Stainless steel	1
7	PISTON	Aluminum, 1060	1
8	RING	Steel	1
9	COLLET	Brass, yellow brass	1
10	DRIVE WASHER	Stainless steel	1
11	COVER	ABS Plastic, high impact	1
12	#6 COVER SCREW	Steel	4
13	HEAD	Aluminum, 1060	1
14	#6 HEAD SCREW	Steel	6
15	GLOW PLUG	Copper	1
16	PISTON SLEEVE	Bronze, 90%	1
17	COVER GASKET	Cork, gasket grade	1

Parts List



- Balloon positions can be adjusted by the automatic Alignment shape.
- Display of the alignment shape can be toggled on and off.




Balloons




- Item reference for parts lists
- Use Part List command to link

Item Number	Document Number	File Name	Quantity
1	SEVA01	seva 01	1
2		Ball Valve	1
3	SEVA05	seva 05	1
4	SEVA04	seva 04	2
5	16	seva 06	12






Open Models from Draft to Edit

- To change a drawing view of a part(s) or an assembly from a drawing, the models must be edited.
- Double-click on the draft view within the drawing sheet to activate the part's model file.




Drawing Revisions

- Once open, the 3D model can be changed and then saved
- Close the model to return to the drawing sheet
- Notice the box around the views indicating out of date
- Select the Update Views  command on the main ribbon bar.



Tracking Changes




- If you select one of the changes you have a few options.
 - “Find” will zoom up on the changed area of the drawing and highlight it.



- If you “Clear All”, it will remove the changed annotations from the view, but will reflect model the changes in the drawing.

Solid Edge®

Kentucky Solar Cats -1st Place Winner Mechanical Drawing Competition (Classic Division)



Summary

SIEMENS
Ingenuity for life



Solid Edge 2D Drafting

Full suite drawing tools
Annotation
Dimensioning
Diagramming
Compatibility

Solid Edge Academic Portfolio of Products

Mechanical Design



- Solid Edge Premium
- Solid Edge Classic
- Solid Edge Foundation
- Solid Edge Design & Drafting
- Solid Edge 2D Drafting
- Solid Edge P&ID Design
- Solid Edge Piping Design
- Solid Edge Generative Design Pro
- Solid Edge Model Based Definition

Electrical Design




- Solid Edge Electrical Routing
- Solid Edge Wiring Design
- Solid Edge Harness Design
- Solid Edge PCB Collaboration

Simulation




- Solid Edge Premium
- Solid Edge Simulation - Standard
- Solid Edge Simulation - Advanced
- Simcenter FLOEFD for Solid Edge

Manufacturing




- Solid Edge CAM Pro Foundation
- Solid Edge CAM Pro Total Machining
- Solid Edge CAM Pro 5 Axis Milling
- Solid Edge 2D Nesting

Technical Publications



- Solid Edge Illustrations
- Solid Edge 3D Publishing

Data Management



- Solid Edge data management
- Solid Edge Requirements Management
- Solid Edge Teamcenter Integration

Cloud Collaboration



- Cloud-based collaboration

So, What's in it for you as competitors in the Solar Car Challenge

The bundle includes the following Solid Edge products:

- ✓ Mechanical Design
- ✓ Computer Aided Manufacturing (CAM)
- ✓ Advanced Simulation
- ✓ Wiring and Harness Design
- ✓ Generative Design
- ✓ Model Based Definition (MBD)
- ✓ P&ID and Piping Design
- ✓ Technical Documentation



Access the Solid Edge Portfolio and Resources



www.siemens.com/solid-edge-educator





Thank you.

Muhammad.Sajjad@siemens.com

SIEMENS